

The power of a star in your hand ...

A stylized yellow graphic consisting of two curved, overlapping shapes that resemble a ribbon or a flame, positioned above the brand name.

Tiablo®

A9 R2

User Guide

Tactical LED Flashlight

Throw King

The power of a star in your hand ...

Specifications

LED: CREE XP-G R2 Lifetime 50 000 Hours

Working Voltage: 2.7V to 10V

Switch: Tactical 2 Stage Output

Output: High 280 lumen @ 1A for 2.6 Hours

Low 65 lumen @ 300mA for 8.5 Hours

Circuit: High efficiency DC-DC regulator

Battery Types Supported: Two CR123 batteries or
One 18650 Li-ion Battery

Reflector: SMO Reflector 42mm x 36mm Deep

Lens: Toughened ultra clear glass with AR coating

Waterproof: IPX-8, beyond 5m depth

Size: Head diameter 45mm, Length 158mm

Body: Hard Anodized Type III Aluminum Alloy T6061

Colour: Black

Weight: 155 grams, excluding battery

Extras: Lanyard, Glow in Dark Rubber Button, Spare O-Rings

Remarks

- Battery anode, positive, towards LED to prevent failure.
- Use the correct battery type as per instructions.
- Long Term storage, remove the battery and keep dry.
- Damage may occur if inside surface of the reflector is touched.
- Disassembly, modification, or misuse will void the warranty.

**Results obtained by using 4GREER 18650PHT 3100 mAh Li-ion Battery*

Service

The power of a star in your hand...

Tiablo will replace your flashlight, within 30 days of purchase, if a failure is caused by a manufacturing defect. Replacement will be with same or similar model if discontinued. Proof of purchase from an authorized dealer, or distributor, with the serial number is required.

Tiablo will repair, exchange parts, or replace your flashlight within 12 months of the purchase date, should a failure occur from normal use. If a problem develops outside of the warranty coverage, Tiablo will repair, supply parts, or replace for a fee, plus shipping cost.

Contact Tiablo, or your local distributor for details.



L.B.141, Laprairie, Quebec J5R 3Y2 Canada

North America Toll Free: 1-866-457-7375

E-mail : info@tiablolight.com

TiabloLight.com